REINVENT HOW THE WORLD CLEANS

Canister Vacuums

V08C | V12C | V16C
V08C-P | V12C-P | V16C-P

Designed for the demands of the contract cleaning sector, this range of commercial dry canister vacuums offers exceptional value through a smart balance of performance, adaptability, and efficiency.

- Prioritize operator comfort with enhanced ergonomics, straightforward controls, and simple operation.
- Feature compact, modern designs engineered with environmental responsibility in mind.
- Meet the needs of today's Facilities Cleaning Managers by offering solutions that are small, lightweight, and reliable.



Canister Vacuums

The role of a Dry Canister Vacuum can be very different between one user and the next, vacuuming hard or soft floor, sofas or curtains, in large areas or small rooms.

Tennant canister vacuums are available in three sizes which all offer:

Efficient and ergonomic design, tailored to help users work without extra strain.

3-stage filtration incorporates a High Efficiency (HEPA H13) filter which enables floors to be cleaned while maintaining good air quality.

Quiet performance, engineered so that floors can be cleaned without disrupting work nearby. Optional Quiet-Mode™ reduces noise further.

More than 50% of Recycled Plastic as a percentage of total plastic (including accessories) as certified by ReMade in Italy®.

Two motor power options, 650 W and 900 W, designed to meet different operational needs.



V08C | V08C-P

Dry Canister Vacuum

A compact and easy-to-use choice for maneuvering in small spaces.

- Durable chrome tube
- Tube parking position and cable hook
- Foot-activated on/off switch
- On-board tool storage
- 3-stage filtration (with HEPA filter as an option)
- Fast installation of filter bag and accessories
- High quality flexible hose
- Sanitized polyester filter



V12C | V12C-P

Dry Canister Vacuum

An efficient and powerful choice for frequent cleaning and maneuvering in tight spaces.

- 3-stage filtration (with HEPA filter as standard)
- Foot-activated on/off switch
- Convenient handle that manages tube
- Tube parking position and cable hook
- Detachable cable
- On-board tool storage
- Fast installation of filter bag and accessories
- High quality flexible hose
- Sanitized polyester filter



V16C | V16C-P

Dry Canister Vacuum

Quiet, high-performing vacuum for many applications, with a high-capacity tank.

- 3-stage filtration (with HEPA filter as standard)
- Foot-activated on/off switch
- Quiet-Mode™ for daytime cleaning
- Full bag indicator
- Telescopic tube
- Detachable cable
- On-board tool storage
- Fast installation of filter bag and accessories
- High quality flexible hose
- Polycarbonate filter

Technical Specifications

Europe







SPECIFICATION	V08C	V12C	V16C
Usage	Dry	Dry	Dry
Tank capacity	8 l	12 l	16 l
Waterlift	1900 mmH_2O	1900 mmH_2O	1900 mmH_2O
Airflow rate	169 m^3/h	169 m^3/h	169 m^3/h
Max. Power	650 W	650 W	650 W
Voltage / Frequency	220-240 V / 50-60 Hz	220-240 V / 50-60 Hz	220-240 V / 50-60 Hz
Sound pressure level*	59 dB(A)	62 dB(A)	62 dB(A) (59 in Quiet-Mode)
Bag type	Standard: microfiber (M-Class)	Standard: microfiber (M-Class)	Standard: microfiber (M-Class)
	Optional: paper bag	Optional: paper bag	Optional: paper bag
Power cord length	10 m	12.5 m	12.5 m
Detachable cable	No	Yes (Standard)	Yes (Standard)
Tool diameter	32 mm	32 mm	32 mm
HEPA H13 filter**	No (Optional)	Yes (Standard)	Yes (Standard)
Bag full Indicator	No	No	Yes (Standard)
Quiet-Mode™	No	No	Yes (Standard)
Hose Length	2 m	2.5 m	2.5 m
Tube	Chrome tube	Chrome tube	Telescopic tube
Dimensions (LxWxH)	320mm x 255mm x 325mm	355mm x 285mm x 330mm	355mm x 285mm x 377mm
Weight (including accessories)	5.7 kg	6.6 kg	7 kg

SPECIFICATION	V08C-P	V12C-P	V16C-P
Usage	Dry	Dry	Dry
Tank capacity	8 l	12 l	16 l
Waterlift	2379 mmH_2O	2379 mmH_2O	2379 mmH_2O
Airflow rate	200 m^3/h	200 m^3/h	200 m^3/h
Max. Power	900 W	900 W	900 W
Voltage / Frequency	220-240 V / 50-60 Hz	220-240 V / 50-60 Hz	220-240 V / 50-60 Hz
Sound pressure level*	66 dB(A)	67 dB(A)	67 db(A) (64 in Quiet-Mode)
Bag type	Standard: microfiber (M-Class)	Standard: microfiber (M-Class)	Standard: microfiber (M-Class)
	Optional: paper bag	Optional: paper bag	Optional: paper bag
Power cord length	10 m	12.5 m	12.5 m
Detachable cable	No	Yes (Standard)	Yes (Standard)
Tool diameter	32 mm	32 mm	32 mm
HEPA H13 filter**	No (Optional)	Yes (Standard)	Yes (Standard)
Bag full indicator	No	No	Yes (Standard)
Quiet-Mode™	No	No	Yes (Standard)
Hose Length	2 m	2.5 m	2.5 m
Tube	Chrome tube	Chrome tube	Telescopic tube
Dimensions (LxWxH)	320mm x 255mm x 325 mm	355mm x 285mm x 330 mm	355mm x 285mm x 377 mm
Weight (including accessories)	5.7 kg	6.6 kg	7 kg

* Sound pressure level at 1m in accordance with ISO3744
**High Efficiency (HEPA) Filter material EN 1822:2019

TENNANT – REINVENT HOW THE WORLD CLEANS

With a vision to become a global leader in sustainable cleaning innovation that empowers our customers to create a cleaner, safer and healthier world, Tennant creates solutions that are changing the way the world cleans.



We are where you are
Tennant has the industry's largest direct sales and service organization and a well-supported network of authorized distributors worldwide.



Solutions for your unique needs
Whatever your cleaning needs, Tennant offers a variety of high quality equipment to help you increase your cleaning productivity.



Buying, leasing, renting
We offer flexible options to get you the machines you need, however you need them.



Tennant*True*®
Optimize equipment performance and protect your investment with Tennant*True®* parts and service.

For a demonstration or additional information,
call **+32 3 217 94 11** or email **europe@tennantco.com**

dry-can-family-brochure-en-emea 04/26
©2025 Tennant Company. All rights reserved. All indicated Tennant trademarks and logos are property of Tennant Company and/or its affiliated or subsidiary companies.
Third party trademarks and logos are property of their respective owners.

Tennant Europe
tennant.eu